























Product Name	Product Model	Product photo	Standard handle & Consumable	Specification data	Function/ Treatment scope
Diode laser Hair removal machine (Vertical model Single handle OLED Screen )	DL1000-B		Any handle optional 600W 808nm OLED handle-12*12nm 1200W 808nm OLED handle-12*12nm 1600W 808nm OLED handle-12*24nm 2000W 808nm OLED handle-12*24nm  600W three wavelength OLED handle-12*12nm 1200W three wavelength OLED handle-12*12nm 1600W three wavelength OLED handle-12*24nm 2000W three wavelength OLED handle-12*24nm	Laser type: Semiconductor laser wavelength:808nm/ 755nm+808nm+1064nm optional Output Mode: pulse output Control Method: Touch controlScreen Size:10.4 Inch Energy density:20-120J/cm2 (Deviations±2%) Pulse width range:1-200ms Spot size:12*12mm Frequency: 1-10HZ Light spot surface temperature:-15℃ max Cooling System: TEC+built-in water+Air Coolingtriple cooling systems Dimension:110CM *45CM *55CM Net weight:52kg Fuse specification:Ø5x25 10A Handle Power:600W/1200W/1600W/2000W optional Input power:3000W Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ	Whole body hair removal leg, arm, face, armpit, bikini areas etc
Diode laser Hair removal machine (Vertical model Single handle OLED Screen )	DIOLASHEER ICE 1200-B		Any handle optional 600W 808nm OLED handle-12*12nm 1200W 808nm OLED handle-12*12nm 1600W 808nm OLED handle-12*24nm 2000W 808nm OLED handle-12*24nm  600W three wavelength OLED handle-12*12nm 1200W three wavelength OLED handle-12*12nm 1600W three wavelength OLED handle-12*24nm 2000W three wavelength OLED handle-12*24nm	Laser type: Semiconductor laser wavelength:808nm/ 755nm+808nm+1064nm optional Output Mode: pulse output Control Method: Touch controlScreen Size:10.4 Inch Energy density:20-120J/cm2 (Deviations±2%) Pulse width range:1-200ms (600w) 1-100ms (1200-2000w) Spot size:2*12mm; 12*20mm; 12*24mm; 12*28mm optional Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w) Light spot surface temperature:-15℃ max Cooling System: TEC+built-in water+Air Coolingtriple cooling systems Dimension:110CM *45CM *55CM Net weight:52kg Fuse specification:Ø5x25 10A Handle Power:600W/1200W/1600W/2000W optional Input power:3000W Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ	Whole body hair removal : leg, arm, face, armpit, bikini areas etc
Diode laser Hair removal machine (Vertical model Dual handle OLED Screen )	DIOLASHEER ICE 1200-pro-B		Any two handles optional 600W 808nm OLED handle-12*12nm 1200W 808nm OLED handle-12*12nm 1600W 808nm OLED handle-12*24nm 2000W 808nm OLED handle-12*24nm  600W three wavelength OLED handle-12*12nm 1200W three wavelength OLED handle-12*12nm 1600W three wavelength OLED handle-12*24nm 2000W three wavelength OLED handle-12*24nm	Laser type :Semiconductor laser wavelength:808nm/ 755nm+808nm+1064nm optional Output Mode: pulse output Control Method: Touch controlScreen Size:10.4 Inch Energy density:20-120J/cm2 (Deviations±2%) Pulse width range:1-200ms (600w) 1-100ms (1200-2000w) Spot size:2*12mm; 12*20mm; 12*24mm; 12*28mm optional Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w) Light spot surface temperature:-15℃ max Cooling System: TEC+built-in water+Air Coolingtriple cooling systems Dimension:110CM *45CM *55CM Net weight:52kg Fuse specification:Ø5x25 10A Handle Power:600W/1200W/1600W/2000W optional Input power:3000W Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ	Whole body hair removal : leg, arm, face, armpit, bikini areas etc
Diode laser Hair removal machine (Vertical model Single handle OLED Screen )	DIOLASHEER ICE1600		Any handle optional 600W 808nm OLED handle-12*12nm 1200W 808nm OLED handle-12*12nm 1600W 808nm OLED handle-12*24nm 2000W 808nm OLED handle-12*24nm  600W three wavelength OLED handle-12*12nm 1200W three wavelength OLED handle-12*12nm 1600W three wavelength OLED handle-12*24nm 2000W three wavelength OLED handle-12*24nm	Laser type: Semiconductor laser Power:3000W Power of handle: 600w, 1200W,1600w,2000w optional wavelength: 808nm (755nm+808nm+1064nm optional) Machine Screen Size: 12.1 Inch Handle Screen Size: 1.54 Inch Energy density:1-120J/cm2 (Deviations±2%) Pulse width range:1-200ms (600w) 1-100ms (1200-2000w) Spot size:2*12mm; 12*20mm; 12*24mm; 12*28mm optional Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w) Cooling System: TEC cooling system Net Weight: 54kg Dimension: 512*541* 1303mm Package Size: 630*690*1210mm Fuse specification: Ø5x25 10A Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ	Whole body hair removal : leg, arm, face, armpit, bikini areas etc.

<p>Diode laser Hair removal machine (Vertical model Dual handle OLED Screen )</p>	<p>DIOLASHEE R ICE1600-B</p>		<p>Any two handles optional          600W 808nm OLED handle-12*12nm          1200W 808nm OLED handle-12*12nm          1600W 808nm OLED handle-12*24nm          2000W 808nm OLED handle-12*24nm            600W three wavelength OLED handle-12*12nm          1200W three wavelength OLED handle-12*12nm          1600W three wavelength OLED handle-12*24nm          2000W three wavelength OLED handle-12*24nm</p>	<p>Laser type: Semiconductor laser          Power:3000W          Power of handle: 600w, 1200W,1600w,2000w optional          wavelength: 808nm (755nm+808nm+1064nm optional)          Machine Screen Size: 12.1 Inch          Handle Screen Size: 1.54 Inch          Energy density:1-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms (600w) 1-100ms (1200-2000w)          Spot size:2*12mm; 12*20mm; 12*24mm; 12*28mm optional          Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w)          Cooling System: TEC cooling system          Net Weight: 54kg          Dimension: 512*541* 1303mm          Package Size: 630*690*1210mm          Fuse specification: Ø5x25 10A          Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal: leg, arm, face, armpit, bikini areas etc.</p>
<p>Diode laser Hair removal machine (Vertical model Dual handle OLED Screen )</p>	<p>FOCUS 1200</p>		<p>Any handle optional          600W 808nm OLED handle-12*12nm          1200W 808nm OLED handle-12*12nm          1600W 808nm OLED handle-12*24nm          2000W 808nm OLED handle-12*24nm            600W three wavelength OLED handle-12*12nm          1200W three wavelength OLED handle-12*12nm          1600W three wavelength OLED handle-12*24nm          2000W three wavelength OLED handle-12*24nm</p>	<p>Laser type: Semiconductor laser          Power:3000W          Power of handle: 600w, 1200W,1600w,2000w optional          wavelength: 808nm (755nm+808nm+1064nm optional)          Machine Screen Size: 12.1 Inch          Handle Screen Size: 1.54 Inch          Energy density:1-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms (600w) 1-100ms (1200-2000w)          Spot size:2*12mm; 12*20mm; 12*24mm; 12*28mm optional          Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w)          Cooling System: TEC +compressor cooling system          Net Weight: 54kg          Dimension: 512*541* 1303mm          Package Size: 630*690*1210mm          Fuse specification: Ø5x25 10A          Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal: leg, arm, face, armpit, bikini areas etc.</p>
<p>Diode laser Hair removal machine (Vertical model Dual handle OLED screen)</p>	<p>FOCUS 1200</p>		<p>Any two handles optional          600W 808nm handle-12*12nm          1200W 808nm handle-12*12nm          1200W 808nm handle-12*20nm            600W three wavelength handle-12*12nm          1200W three wavelength handle-12*12nm          1200W three wavelength handle-12*20nm</p>	<p>Laser type: Semiconductor laser          wavelength:808nm (808nm + 755nm + 1064nm optional)          Machine power: 3000W          Power of handle:600W &amp; 1200W          Screen Size:10.4 Inch          Energy density:10-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms          Spot size:12*20mm+ 12*12mm          Frequency:1-10HZ          Light spot surface temperature: -15 °C          Cooling System: TEC cooling system          Net Weight: 57kg          Dimension:470*500* 1330mm          Package Size: 530*492*1120mm          Fuse specification:Ø5x25 10A          Power:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal: leg, arm, face, armpit, bikini areas etc</p>
<p>Diode laser Hair removal machine (Vertical model Single handle OLED Screen )</p>	<p>DL 1200 mini-B</p>		<p>Any handle optional          600W 808nm OLED handle-12*12nm          1200W 808nm OLED handle-12*12nm          1600W 808nm OLED handle-12*24nm          2000W 808nm OLED handle-12*24nm            600W three wavelength OLED handle-12*12nm          1200W three wavelength OLED handle-12*12nm          1600W three wavelength OLED handle-12*24nm          2000W three wavelength OLED handle-12*24nm</p>	<p>Laser type: Semiconductor laser          Machine input Power:3000W          Power of handle: 600w, 1200W,1600w,2000w optional          wavelength: 808nm (755nm+808nm+1064nm optional)          Machine Screen Size: 12.1 Inch          Handle Screen Size: 1.54 Inch          Energy density:1-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms (600w) 1-100ms (1200-2000w)          Spot size:12*12mm; 12*20mm; 12*24mm; 12*28mm optional          Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w)          Cooling System: TEC cooling system          Net Weight: 40kg          Dimension: 400*530*440mm          Package Size :740*580*700mm          Fuse specification:Ø5x25 10A          Voltage:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal: leg, arm, face, armpit, bikini areas etc</p>






<p>Diode laser Hair removal machine (Vertical model Single handle OLED Screen )</p>	<p>DL 1200 mini-C</p>		<p>Any handle optional          600W 808nm OLED handle-12*12nm          1200W 808nm OLED handle-12*12nm          1600W 808nm OLED handle-12*24nm          2000W 808nm OLED handle-12*24nm            600W three wavelength OLED handle-12*12nm          1200W three wavelength OLED handle-12*12nm          1600W three wavelength OLED handle-12*24nm          2000W three wavelength OLED handle-12*24nm</p>	<p>Laser type: Semiconductor laser          Machine input Power:3000W          Power of handle: 600w, 1200W,1600w,2000w optional          wavelength: 808nm (755nm+808nm+1064nm optional)          Machine Screen Size: 12.1 Inch          Handle Screen Size: 1.54 Inch          Energy density:1-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms (600w) 1-100ms (1200-2000w)          Spot size:12*12mm; 12*20mm; 12*24mm; 12*28mm optional          Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w)          Cooling System: TEC cooling system          Net Weight :36kg          Dimension:599*430*452          Package Size:745*550*630          Fuse specification:Ø5x25 10A          Voltage:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal : leg, arm, face, armpit, bikini areas etc</p>
<p>Diode laser Hair removal machine (Vertical model Single handle OLED Screen )</p>	<p>DL 1200 mini-D</p>		<p>Any handle optional          600W 808nm OLED handle-12*12nm          1200W 808nm OLED handle-12*12nm          1600W 808nm OLED handle-12*24nm          2000W 808nm OLED handle-12*24nm            600W three wavelength OLED handle-12*12nm          1200W three wavelength OLED handle-12*12nm          1600W three wavelength OLED handle-12*24nm          2000W three wavelength OLED handle-12*24nm</p>	<p>Laser type: Semiconductor laser          Machine input Power:3000W          Power of handle: 600w, 1200W,1600w,2000w optional          wavelength: 808nm (755nm+808nm+1064nm optional)          Machine Screen Size: 12.1 Inch          Handle Screen Size: 1.54 Inch          Energy density:1-120J/cm2 (Deviations±2%)          Pulse width range:1-200ms (600w) 1-100ms (1200-2000w)          Spot size:12*12mm; 12*20mm; 12*24mm; 12*28mm optional          Frequency: 1-10HZ(600w, 1200w); 1-20HZ (1600w, 2000w)          Cooling System: TEC cooling system          Net Weight :36kg          Dimension: 442*587*431mm          Package Size:554*477*657mm          Fuse specification:Ø5x25 10A          Voltage:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	<p>Whole body hair removal : leg, arm, face, armpit, bikini areas etc</p>
<p>SHR IPL ELight machine</p>	<p>ESHR50</p>		<p>HR handle*1, SR handle*1 (with E light)</p>	<p>Light Source: Intense Pulsed Light          Wave Length:HR690- 1200nm,SR560- 1200nm (option: VR 430-1200nm)          Light guide: Crystal light          guideControl Mode: Touch          Control Safety Classification:          Spot size:16*50mm(HR),8*34mm(SR,VR)          Energy density: IPL mode 10-60J/cm2          SHRmode 1- 15J/cm2          E-light:1Mhz ,1- 50W          Frequency:1-10HZ          Cooling system: Semiconductor Refrigeration +Water Cooling +Wind Cooling          Size: length Width Height 470x 360*1040mmWeight (net weight): 50kg Fuse: Ø5x20 15A          Input power: 3000W          Power supply: AC220±10% 15A 50HZ , 110±10% 30A -60HZ</p>	<p>Whole body hair removal;Skin rejuvenation, speckle removal</p>
<p>SHR IPL ELight machine</p>	<p>ESHR60</p>		<p>HR handle*1, SR handle*1 (with E light)</p>	<p>Light Source: Intense Pulsed Light          Wave Length:HR690- 1200nm,SR560- 1200nm (option: VR 430-1200nm)          Light guide: Crystal light          guideControl Mode: Touch          Control Safety Classification:          Spot size:16*50mm(HR),8*34mm(SR,VR)          Energy density: IPL mode 10-60J/cm2          SHRmode 1- 15J/cm2          E-light:1Mhz ,1- 50W          Frequency:1-10HZ          Cooling system: Semiconductor Refrigeration +Water Cooling +Wind Cooling          Size: length Width Height 470x 360*1040mmWeight (net weight): 50kg Fuse: Ø5x20 15A          Input power: 3000W          Power supply: AC220±10% 15A 50HZ , 110±10% 30A -60HZ</p>	<p>Whole body hair removal;Skin rejuvenation, speckle removal</p>

SHR IPL ELight machine	ESHR212		HR handle*1, SR handle*1 (with E light)	<p>Light Source:Intense Pulsed Light Wave Length:HR690- 1200nm,SR560- 1200nm (option:VR 430-1200nm ) Light guide:Crystal light guide Control Mode:Touch Control Safety Classification: Spot size:16*50mm(HR),8*34mm(SR,VR) Energy density:IPL mode 10-60J/cm2 SHR mode 1- 15J/cm2 E-light:1Mhz ,1- 50W Frequency:1-10HZ Cooling system: Semiconductor Refrigeration +Water Cooling +Wind Cooling Size: length Width Height 470x 360*1040mm Weight (net weight): 50kg Fuse: Ø5x20 15A Input power: 3000W Power supply: AC220±10% 15A 50HZ , 110±10% 30A -60HZ</p>	Whole body hair removal; Skin rejuvenation, speckle removal
SHR IPL ELight machine	SHR216		HR handle*1, SR handle*1 (with E light)	<p>Light Source:Intense Pulsed Light Wave Length:HR690- 1200nm,SR560- 1200nm (option:VR 430-1200nm ) Light guide:Crystal light guide Control Mode:Touch Control Safety Classification: Spot size:16*50mm(HR),8*34mm(SR,VR) Energy density:IPL mode 10-60J/cm2 SHR mode 1- 15J/cm2 E-light:1Mhz ,1- 50W Frequency:1-10HZ Cooling system: Semiconductor Refrigeration +Water Cooling +Wind Cooling Size: length Width Height 470x 360*1040mm Weight (net weight): 35kg Fuse: Ø5x20 15A Input power: 2000W Power supply: AC220±10% 15A 50HZ , 110±10% 30A -60HZ</p>	Whole body hair removal; Skin rejuvenation, speckle removal
SHR IPL ELight machine	T12		HR handle*1, SR handle*1 (with E light)	<p>Light Source:Intense Pulsed Light Wave Length:HR690- 1200nm,SR560- 1200nm (option:VR 430-1200nm ) Light guide:Crystal light guide Control Mode:Touch Control Safety Classification: Spot size:16*50mm(HR),8*34mm(SR,VR) Energy density:IPL mode 10-60J/cm2 SHR mode 1- 15J/cm2 E-light:1Mhz ,1- 50W Frequency:1-10HZ Cooling system: Semiconductor Refrigeration +Water Cooling +Wind Cooling Size: length Width Height 470x 360*1040mm Weight (net weight): 35kg Fuse: Ø5x20 15A Input power: 2000W Power supply: AC220±10% 15A 50HZ , 110±10% 30A -60HZ</p>	Whole body hair removal; Skin rejuvenation, speckle removal
SHR IPL ELight machine	SHR7		Filters handle*1 (Wavelength:430nm,530nm,560nm,640nm,690nm,755nm)	<p>Light Source: Intense Pulse light Wavelength:430nm;480nm;530nm;560nm;640nm;690nm; Light guide: Crystal light Control Mode: Touch Output mode: Pulsed Safety class: class I ,type B Energy Density: HR 1-15J/cm2 Frequency: HR 1-10HZ Elight: 1Mhz ,1- 50W Crystal temperature Cooling system: Semi-conductor+ water+ Air Dimension:470*360*1040mm Net weight:30kg Fuse:Ø5x20 15A Input power:2000W Power supply:AC220±10% 15A 50HZ , 110±10% 30A 60HZ,</p>	Whole body hair removal; Skin rejuvenation, speckle removal,acne scar,face vein removal






360 handle Cryo fat freezing slimming machine	CRYOTEC 360		360 Frozen A1 Handle*1 360 Frozen B1 Handle*1 360 Frozen B2 Handle*1 360 Frozen C1 Handle*1 Antifreeze film*20	Handle number:4 handles Standard, chin handleoption Handle screen:3.5 inch touch screen Vacuum:0kpa-100kpa Handle size: A Handle: 235*65*47mm; 255*65*55mm (2 size cups) B Handle: 180*65*50mm; 190*65*55mm; 210*65*70mm; 220*65*80mm (4 size cups) C Handle: 125*50*45mm; 135*50*50mm; 145*50*70mm (3 size cups) D Handle: 83*30*50mm Screen:10.4 inch touch screen Cooling temperature: 0- -10 ° Cooling system:2 strong Aluminum+ 4 Big DC fans +2 Strong Electronic Refrigeration Input power:2500W Handle Cooling power:2000W Dimension:400*500*1200mm Net weight:60kg Fuse specification:Ø5x25 15A Voltage: AC220V±10%,10A;50HZ/ AC110V±10%10A,60HZ	Cooling /Fat freezing technology for whole body slimming
360 handle Cryo fat freezing slimming machine	CRYOTEC 360PRO		360 Frozen A1 Handle*1 360 Frozen B1 Handle*1 360 Frozen B2 Handle*1 360 Frozen C1 Handle*1 Antifreeze film*20	Handle number:4 handles Standard, chin handleoption Handle screen:3.5 inch touch screen Vacuum:0kpa-100kpa Handle size: A Handle: 235*65*47mm; 255*65*55mm (2 size cups) B Handle: 180*65*50mm; 190*65*55mm; 210*65*70mm; 220*65*80mm (4 size cups) C Handle: 125*50*45mm; 135*50*50mm; 145*50*70mm (3 size cups) D Handle: 83*30*50mm Screen:10.4 inch touch screen Cooling temperature: 0- -10 ° Cooling system:2 strong Aluminum+ 4 Big DC fans +2 Strong Electronic Refrigeration Input power:2500W Handle Cooling power:2000W Dimension:400*500*1200mm Net weight:60kg Fuse specification:Ø5x25 15A Voltage: AC220V±10%,10A;50HZ/ AC110V±10%10A,60HZ	Cooling /Fat freezing technology for whole body slimming
360 handle Cryo fat freezing slimming machine portable model	CRYOTEC 360mini		360 Frozen B1 Handle*1 360 Frozen B2 Handle*1 Antifreeze film*20	Handle number:2 handles: A+B standard Handles screen :3.5inch Vacuum:0-100kpa Screen:10.4Inch Cooling temperature: 5--10℃ Cooling system: Semiconductor Cooling +water-cooling + wind cooling Input power:2000w Dimension :445*480*1162mm Net weight:35kg Fuse specification:Ø5x25 15A Voltage: AC220V±10%,10A;50HZ/ AC110V±10%10A,60HZ	Cooling /Fat freezing technology for whole body slimming
360 handle Cryo fat freezing slimming multifunctional machine	CRYOTEC 360multi		360 Frozen B1 Handle*1 360 Frozen B2 Handle*1 Large RF handle*1 Small RF handle*1 Antifreeze film*20	Frozen head pressure:0-100kpa RF energy:1-50J/cm2 Cavitation energy:1-70J/cm2 Frozen head screen size: 3.5 Inch RF frequency: 2M Cavitation Frequency: 40K Treatment handle's quantity: Sunits(Different Size Optional) Touch screen size: 10.4 Inch Frozen head temperature: -10-5℃ Cooling System; Semiconductor Cooling +water-cooling + air cooling Input Power: 2000W Fuse specification: Ø5×25 10A Power supply: AC220V 50Hz/AC110V 60Hz	Cooling /Fat freezing technology for whole body slimming ; Face/skin lifting,tightening






EMS muscle building machine Portable model	EMS II mini		Flat handle*2	<p>Input Power: 3200W  Electromagnetic wave energy:7 tesla  Energy Level: 1-100 adjustable  Frequency:1-100hz  Cooling system:Air Cooling  Screen: 10.0inch tough screen  Pulse duration:310µs±10%  Storage temperature: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ  Weight:35kg  Dimension:74*63*54cm</p>	Muscle building,muscle strengthening, fat burning
EMS muscle building machine Portable model	EMS III mini		Flat handle*2	<p>Input Power: 3200W  Electromagnetic wave energy:7 tesla  Energy Level: 1-100 adjustable  Frequency:1-100hz  Cooling system:Air Cooling  Screen: 10.0inch tough screen  Pulse duration:310µs±10%  Storage temperature: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ  Weight:35kg  Dimension:74*63*54cm</p>	Muscle building, muscle strengthening, fat burning
EMS muscle building machine Portable model	EMS III mini pro		Flat handle*2 Arc handle*2	<p>Input Power: 5000W  Electromagnetic wave energy:7 tesla  Energy Level: 1-100 adjustable  Frequency:1-100hz  Cooling system: Air Cooling  Screen: 10.0inch tough screen  Pulse duration:310µs±10%  Storage temperature: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ  Weight:35kg  Dimension:74*63*54cm</p>	Muscle building, musclestrengthening, fat burning
EMS muscle building machine 2 handles	EMS II		Flat handle*2	<p>Input Power: 3200W  Electromagnetic wave energy:7 tesla  Energy Level: 1-10 adjustable  Frequency:1-100hz  Cooling system:Air Cooling  Screen: 10.0inch tough screen  Pulse duration:310µs±10%  Storage temperature: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ  Weight:55kg  Dimension:532*537*1130mm</p>	Muscle building,muscle strengthening,fat burning
EMS muscle building machine 2 handles	EMS III Air		Flat handle*2	<p>Input Power: 3200W  Electromagnetic wave energy:7 tesla  Energy Level: 1-10 adjustable  Frequency:1-100hz  Cooling system:Air Cooling  Screen: 10.0inch tough screen  Pulse duration:310µs±10%  Storage temperature: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ  Weight:65kg  Dimension:532*537*1130mm</p>	Muscle building,muscle strengthening,fat burning





EMS muscle building machine 4 handles	EMS IV Pro		Flat handle*2 Arc handle*2	<p>Input Power:5000W  Electromagnetic wave energy:7 tesla  Energy Level:1-100 adjustable  Frequency:1-150hz  Cooling system:Air Cooling  Screen:12.4inch tough screen  Weight:70kg  Dimension:640*640*1250mm  Pulse duration:310µs±10%  Storage temperature:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	Muscle building,muscle strengthening, fat burning
EMS muscle building machine 4 handles	EMS IV		Flat handle*2 Arc handle*2	<p>Input Power:5000W  Electromagnetic wave energy:7 tesla  Energy Level:1-100 adjustable  Frequency:1-150hz  Cooling system:Air Cooling  Screen:12.4inch tough screen  Weight:70kg  Dimension:640*640*1250mm  Pulse duration:310µs±10%  Storage temperature:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	Muscle building,muscle strengthening, fat burning
EMS muscle building machine 4 handles	CL9		Flat handle*2 Arc handle*2	<p>Input Power:5000W  Electromagnetic wave energy:7 tesla  Energy Level:1-100 adjustable  Frequency:1-110hz  Cooling system:Air Cooling  Screen:12.4inch tough screen  Weight:70kg  Dimension:640*640*1250mm  Pulse duration:310µs±10%  Storage temperature:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	Muscle building,muscle strengthening, fat burning
EMS muscle building machine 4 handles	CL16		Flat handle*2 Arc handle*2	<p>Input Power:5000W  Electromagnetic wave energy:7 tesla  Energy Level:1-100 adjustable  Frequency:1-110hz  Cooling system:Air Cooling  Screen:12.4inch tough screen  Weight:70kg  Dimension:640*640*1250mm  Pulse duration:310µs±10%  Storage temperature:AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	Muscle building,muscle strengthening, fat burning
Dual rods "Picolaser" machine with 4 modes version: <b>Pico mode+PTP mode+Multipulse mode+Long pulse mode</b>	PICOFOCUS		Flat handle*2 Arc handle*2	<p>Wavelength:1064nm, 532nm Standard (585nm,650nm heads optional,Fractional handpiece optional,honeycomb lens inside)  Energy:Max 1500mj (1064nm) ;Max 800mj (532nm)  Frequency:1~10Hz  Zoom Spot Size:2-10mm Adjustable  Pulse Width:450ps  Beam Profile :Top Hat Beam/ Fractional Beam  Light Guiding System : South Korea 7 joints Arm  Aiming Beam : Diode 655nm (Red), Adjustable Brightness  Cooling : Closed Circuit Water to Air Voltage: AC220v±10% 50Hz,110v±10% 60HzNet  Weight: 106kg Dimension: 75*86*120cm  Voltage: 220V-50HZ/110V-60HZ</p>	Most color tattoo:body,brow tattoo,eyeline;  pigmented lesions:evus of Ota, birth mark, Coffee Spot, Freckle chloasma etc;  Skin whitening:pore shrink,carbon






<p>Dual rods "Picolaser " machine with 4 modes version: <b>Pico mode+PTP mode+Multipulse mode+Long pulse mode</b></p>	<p>PS III DUAL</p>			<p>Wavelength: 1064nm, 532nm, (585nm,650nm dye heads optional) Energy: Max 1500mj (1064) ;Max 800mj (532) Frequency:1~10Hz Zoom Spot Size:2-10mm Adjustable Pulse Width:450ps Beam Profile Top: Hat Beam/ Fractional Beam Light Guiding System: South Korea 7 joints Arm Aiming Beam:Diode 655nm (Red), Adjustable Brightness Cooling: Closed Circuit Water to Air Voltage:AC220v±10% 50Hz,110v±10% 60Hz Net Weight:85kg Dimension:680*850*1200cm Voltage:220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;  pigmented lesions:evus of Ota, birth mark, Coffee Spot, Freckle,chloasma etc;  Skin whitening;pore shrink,carbon</p>
<p>"Picolaser " machine with 4 modes version: <b>Pico mode+PTP mode+Multipulse mode+Long pulse mode</b></p>	<p>PS II</p>			<p>Wavelength: 1064nm, 532nm, (585nm,650nm dye heads optional) Energy:Max 1500mj (1064) ;Max 800mj (532) Frequency:1~10Hz Zoom Spot Size:2-10mm Adjustable Pulse Width:450ps Beam Profile:Top Hat Beam/ Fractional Beam Light Guiding System: South Korea 7 joints Arm Aiming Beam:Diode 655nm (Red), Adjustable Brightness Cooling:Closed Circuit Water to Air Voltage:AC220v±10% 50Hz,110v±10% 60Hz Net Weight:85kg Dimension:68*79*120cm Voltage:220V-50HZ/110V-60HZ</p>	<p>Most color tattoo: body, brow tattoo, eye line.  pigmented lesions:evus of Ota, birth mark, Coffee Spot, Freckle,chloasma etc;  Skin whitening; pore shrink, carbon</p>
<p>"Picolaser " machine with 4 modes version: <b>Pico mode+PTP mode+Multipulse mode+Long pulse mode</b></p>	<p>PICOFOCUS II</p>			<p>Wavelength:1064nm, 532nm Standard (585nm,650nm heads optional,Fractional handpiece optional,honeycomb lens inside) Energy:Max 1500mj (1064nm) ;Max 800mj (532nm) Frequency:1~10Hz Zoom Spot Size:2-10mm Adjustable Pulse Width:450ps Beam Profile ;Top Hat Beam/ Fractional Beam Light Guiding System: South Korea 7 joints Arm Aiming Beam: Diode 655nm (Red), Adjustable Brightness Cooling: Closed Circuit Water to Air Voltage: AC220v±10% 50Hz,110v±10% 60Hz Net Weight: 106kg Dimension: 75*86*120cm Voltage: 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;  pigmented lesions:evus of Ota, birth mark, Coffee Spot, Freckle,chloasma etc;  Skin whitening;pore shrink,carbon</p>
<p>QS nd yag laser machine</p>	<p>QL II</p>		<p>Handle *1</p>	<p>laser type: Pulse adjusting Q Power: 800w Wavelength: 1064nm, 532nm, 1320nm Pulse Duration: 6ns Frequency: 1-6Hz Single Pulse max output energy : 300-2000mJ Cooling manner: Closed-off water circulation + air Net Weight:45kg Dimension:53*47*112cm Voltage : 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;  Skin whitening;pore shrink,carbonpeeling,</p>
<p>QS nd yag laser machine</p>	<p>QL IV</p>		<p>Handle *1</p>	<p>laser type: Pulse adjusting Q Power: 800w Wavelength: 1064nm, 532nm, 1320nm Pulse Duration: 6ns Frequency: 1-6Hz Single Pulse max output energy : 300-2000mJ Cooling manner: Closed-off water circulation + air Net Weight:45kg Dimension:53*47*112cm Voltage : 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;  Skin whitening;pore shrink,carbonpeeling,</p>










<p>QS nd yag laser machine portable model</p>	<p>QL I</p>		<p>Handle *1</p>	<p>laser type: Pulse adjusting Q  Power: 800w  Wavelength: 1064nm, 532nm, 1320nm  Pulse Duration: 6ns  Frequency: 1-6Hz  Single Pulse max output energy: 300-1000mJ  Cooling manner: Closed-off water circulation + air  Net Weight:27kg  Dimension:51*48*95cm Voltage : 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;   Skin whitening;pore shrink,carbon peeling,</p>
<p>QS nd yag laser machine portable model</p>	<p>QL III</p>		<p>Handle *1</p>	<p>laser type: Pulse adjusting Q  Power: 1000w  Wavelength: 1064nm, 532nm, 1320nm  Pulse Duration: 6ns  Frequency: 1-6Hz  Single Pulse max output energy: 300-1000mJ  Cooling manner: Closed-off water circulation + air  Net Weight:27kg  Dimension:51*48*95cm Voltage : 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;   Skin whitening;pore shrink, carbon peeling,</p>
<p>QS nd yag laser machine portable model</p>	<p>QL V</p>		<p>Handle *1</p>	<p>laser type: Pulse adjusting Q  Power: 1000w  Wavelength: 1064nm, 532nm, 1320nm  Pulse Duration: 1ns  Frequency: 1-6Hz  Single Pulse max output energy: 300-1000mJ  Cooling manner: Closed-off water circulation + air  Net Weight:27kg  Dimension:51*48*95cm Voltage : 220V-50HZ/110V-60HZ</p>	<p>Most color tattoo:body,brow tattoo,eyeline;   Skin whitening;carbon peeling,</p>
<p>Fractional Rf micro needle machine dual handles</p>	<p>FR200</p>		<p>Micro needle tip handle*1  Micro needle flat handle *1  25 pins needle *5  49 pins needle *5  81 pins needle *5  Flat needle*1</p>	<p>Frequency:5 MHz  Total RF Treatment Level:1-10  Dual Operation Mode:Fractional RF Micro-needle&amp; Thermage  Power:80w  Disposable Tip:Micro-electrode needle &amp; Micro-electrode tip  Depth of Needle:0.3-3mm(Adjustable)  Size of needle head:25pins,49pins,81pins  handle number :2 unit(1 invasive handle with needle, 1 flat non-invasive handle)  Switch:Foot Switch  Input voltage:220V-50HZ/110V-60HZ  Dimension:: 40*38*80cm Weight: 20kg</p>	<p>Wrinkle removal, acne scarremoval, skin tightening, rejuvenation, S tretch mark removal etc</p>
<p>Fractional Rf micro needle machine dual handles</p>	<p>FR300</p>		<p>Micro needle tip handle*1  Micro needle flat handle *1  25 pins needle *5  49 pins needle *5  81 pins needle *5  Flat needle*1</p>	<p>Frequency:5 MHz  Total RF Treatment Level:1-10  Dual Operation Mode:Fractional RF Micro-needle&amp; Thermage  Power:80w  Disposable Tip:Micro-electrode needle &amp; Micro-electrode tip  Depth of Needle:0.3-3mm(Adjustable)  Size of needle head:25pins,49pins,81pins  handle number :2 unit(1 invasive handle with needle, 1 flat non-invasive handle)  Switch:Foot Switch  Input voltage:220V-50HZ/110V-60HZ  Dimension:: 40*38*80cm Weight: 20kg</p>	<p>Wrinkle removal, acne scarremoval, skin tightening, rejuvenation, S tretch mark removal etc</p>

<p>Fractional Rf micro needle machine single handle</p>	<p>F100</p>		<p>Micro needle tip handle*1 25 pins needle *5 49 pins needle *5 81 pins needle *5</p>	<p>Frequency:5 MHz Total RF Treatment Level:1-10 Operation Mode:Fractional RF Micro-needle Power:80w Disposable Tip:Micro-electrode needle Depth of Needle:0.3-3mm(Adjustable) Size of needle head:25pins,49pins,81pins Switch:Foot Switch Input voltage :220V-50HZ/110V-60HZ Dimension: 30*34*35cm Weight: 6kg</p>	<p>Wrinkle removal, acne scar removal,. skin tightening, rejuvenation,Stretch mark removal etc</p>
<p>Fractional Rf micro needle machine single handle</p>	<p>FR500</p>		<p>Micro needle tip handle*1 25 pins needle *5 49 pins needle *5 81 pins needle *5</p>	<p>Frequency:5 MHz Total RF Treatment Level:1-10 Operation Mode:Fractional RF Micro-needle Power:80w Disposable Tip:Micro-electrode needle Depth of Needle:0.3-3mm(Adjustable) Size of needle head:25pins,49pins,81pins Switch:Foot Switch Input voltage :220V-50HZ/110V-60HZ Dimension:39*43*29CM Net weight:8kg</p>	<p>Wrinkle removal, acne scar removal,. skin tightening, rejuvenation,Stretch mark removal etc</p>
<p>Fractional Rf micro needle machine dual handles</p>	<p>FR III</p>		<p>Micro needle tip handle*1 Micro needle flat handle *1 25 pins needle *5 49 pins needle *5 81 pins needle *5 Flat needle*1</p>	<p>Frequency:5 MHz Total RF Treatment Level:1-10 Dual Operation Mode:Fractional RF Micro-needle&amp; Thermage Power:80w Disposable Tip:Micro-electrode needle &amp; Micro-electrode tip Depth of Needle:0.3-3mm(Adjustable) Size of needle head:25pins,49pins,81pins handle number :2 unit(1 invasive handle with needle, 1 flat non-invasive handle) Switch:Foot Switch Input voltage:220V-50HZ/110V-60HZ Dimension:: 40*46*27cm Weight: 12kg</p>	<p>Wrinkle removal, acne scar removal,. skin tightening, rejuvenation,Stretch mark removal etc</p>
<p>Fractional Rf micro needle machine dual handles</p>	<p>Microderma II</p>		<p>Micro needle tip handle*1 Micro needle flat handle *1 25 pins needle *5 49 pins needle *5 81 pins needle *5 Flat needle*1</p>	<p>Frequency:5 MHz Total RF Treatment Level:1-10 Dual Operation Mode:Fractional RF Micro-needle&amp; Thermage Power:80w Disposable Tip:Micro-electrode needle &amp; Micro-electrode tip Depth of Needle:0.3-3mm(Adjustable) Size of needle head:25pins,49pins,81pins handle number :2 unit(1 invasive handle with needle, 1 flat non-invasive handle) Switch:Foot Switch Input voltage:220V-50HZ/110V-60HZ Dimension:: 40*46*27cm Weight: 12kg</p>	<p>Wrinkle removal, acne scar removal,. skin tightening, rejuvenation,Stretch mark removal etc</p>
<p>Radio frequency Vein removal machine</p>	<p>V600</p>		<p>Handle*1 Needle size 0.01mm*20</p>	<p>Input power:150W Output power:0-100%±10% Output frequency:30MHz Output voltage:AC 30-150V Treatment of needle wire:0.01mm(Diameter),0.03mm optional Output mode:Continuous and pulsed two modes Liquid crystal display:8.4Inch Operating mode:Touching screen Input voltage :220V-50HZ/110V-60HZ Weight: 5kg Dimension:45*35*20cm</p>	<p>Small veinremoval</p>

Radio frequency Vein removal machine	V100		Handle*1 Needle size 0.01mm*20	Input power:150W Output power:0-100%±10% Output frequency:30MHz Output voltage:AC 30-150V Treatment of needle wire:0.01mm(Diameter),0.03mm optional Output mode:Continuous and pulsed two modes Liquid crystal display:8.4Inch Operating mode:Touching screen Input voltage :220V-50HZ/110V-60HZ Dimension:36*31*20 Weight:4kg	Small veinremoval
980nm laser vein removal machine	v980		Laser handle *1	Frequency:1~20Hz Work mode:Continuous/Pulse Operating mode:Touching screen Spot size:3mm /2mm/1.5mm /1mm /0.7mm/0.5mm/0.6mm/0.8mm Indicator:635nm infrared ray Output Laser power:15W Power:200W Voltage:AC100-240V 50/60HZ Dimension:45*35*20 Weight : 7.2kg	Spider vein removal for face and leg,varicose veinremoval
Fractional Co2 laser machine (glass pipe or RF tube)	FEMTO-DERMA III			Co2 laser machine Specification: Laser Type: USA Coherent laser(RF Tube) Vaginal instrument: Optional Wavelength: 10600nm Power: 40w Laser working mode:Continuous Output mode:Ultra pulse, Single Pulse, Fractional Fractional working mode:Interval continuous working Pulse Width:1-100ms Output Graphics:Square, rectangle, round, triangle, oval, 6-diamond shape, line or customized graphics Light guiding system:7 joints arm Scanning mode:Sequence mode, Mid split mode, Random mode Spot size:0.01mm Scan Pattern Size:0.1*0.1mm-20*20mm Scan area:Max 20*20mm Aiming beam:650nm, ≤ 5mw Cooling system:Wind cooling Power Supply:220V-50HZ/110V-60HZ	1.Acne scar, actenic keratoses andbasal cell carcinoma 2.Burn debridement 3.Skin resurfacing and rejuvenation 4.Eliminate the scar after surgery 5.Improve texture tone and pore size 6.Erase unwanted
Fractional Co2 laser machine (glass pipe or RF tube)	F12		Fractional handle(head)+surgical cutting heads	Co2 laser machine Specification: Laser Type: USA Coherent laser(RF Tube) Vaginal instrument: Optional Wavelength: 10600nm Power: 70w Laser working mode:Continuous Output mode:Fractional model and Surgical cutting mode+scanning mode+ VULVACE +GYNAE Fractional working mode:Interval continuous working Pulse Width:1-100ms Output Graphics:Square, rectangle, round, triangle, oval, 6-diamond shape, line or customized graphics Light guiding system:7 joints arm Scanning mode:Sequence mode, Mid split mode, Random mode Spot size:0.01mm Scan Pattern Size:0.1*0.1mm-20*20mm Scan area:Max 20*20mm Aiming beam:650nm, ≤ 5mw Cooling system:Wind cooling Power Supply:220V-50HZ/110V-60HZ	1.Acne scar, actenic keratoses andbasal cell carcinoma 2.Burn debridement 3.Skin resurfacing and rejuvenation 4.Eliminate the scar after surgery 5.Improve texture tone and pore size 6.Erase unwanted

V-shape Infrared rf vacuum roller slimming machine	VS II		Large handle*1 Medium handle*1 Small handle*1 Cavitation handle*1	Whole machine power: 1200W Radio Frequency power Supply:400W Rf power ouput:50W Infrared power:5-20W Vacuum:0kpa-100kpa Cavitation power :60W Size of treatment handle: Cavitation cup: 90mm*120mm Big for body: 40mm*66mm; Middle for body&leg: 30mm*44mm; small for face: 4.5mm*9mm;9mm*13mm;16mm*25mm(3 optional) Infrared wavelength:940NM Vacuum mode:Continuous RF Frequency:2Mhz Vacuum Pressure:10-90KPA Roller Speed:0-36r/m Net weighth:50kg Dimension:520m*590mm*950mm Voltage AC220V±10%,10A;50HZ/ AC110V±10%10A,60HZ	Body Contouring; Cellulite Removal; Body Slimming; Skin Texture & Tone; Skin Tightening; Circumference Reduction; Wrinkle Removal; Face Lifting;
V-shape Infrared rf vacuum roller slimming machine	VS III Pro		Large handle*1 Medium handle*1 Small handle*1 Cavitation handle*1	Whole machine power: 1200W Radio Frequency power Supply:400W Rf power ouput:50W Infrared power:5-20W Vacuum:0kpa-100kpa Cavitation power :60W Size of treatment handle: Cavitation cup: 90mm*120mm Big for body: 40mm*66mm; Middle for body&leg: 30mm*44mm; small for face: 4.5mm*9mm;9mm*13mm;16mm*25mm(3 optional) Infrared wavelength:940NM Vacuum mode:Continuous RF Frequency:2Mhz Vacuum Pressure:10-90KPA Roller Speed:0-36r/m Net weighth:50kg Dimension:520m*590mm*950mm Voltage AC220V±10%,10A;50HZ/ AC110V±10%10A,60HZ	Body Contouring; Cellulite Removal; Body Slimming; Skin Texture & Tone; Skin Tightening; Circumference Reduction; Wrinkle Removal; Face Lifting;
3D/5D HIFU machine	SMASFOCUS III		3D HIFU handle*1 1.5mm 3d cartridge*1 3.0mm 3d cartridge*1 4.5mm 3d cartridge*1 8.0mm 3d cartridge*1 2D HIFU handle*1 1.5mm cartridge*1 3.0mm cartridge*1 4.5mm cartridge*1 vmax handle*1 1.5mm vmax cartridge*1 3.0mm vmax cartridge*1 4.5mm vmax cartridge*1 Liposonix handle*1 8.0mm Liposonix head*1 13.0mm Liposonix head*1 Vaginal handle*1 3.0mm vaginal head*1 4.5mm vaginal head*1	Technology:Focused Ultrasound Face lift Hifu Input Power:1200W Width:1-10mm adjustable length:5-25mm adjustable Number of heads:*1.5MM;3.0MM;4MM ;8MM(Standard) 6mm, 8mm ,13mm,16mm( optional)* Space Between Thermal Point:1.5MM-2.5MM Step: 0.1 MM Energy type:4MHZ Energy output:0.2-2J/cm2 Handle Shots:20000 lines Screen size:12inch Net Weight of machine :25kg Dimension :400*350*1060mm Optional handle: 2D handle,Vmax handle, Liposonix handle,Vaginal handle	Wrinkle removal, facelift, skin tightening,body slimming
3D/5D HIFU machine	SMASFOCUS III mini		3D HIFU handle*1 1.5mm 3d cartridge*1 3.0mm 3d cartridge*1 4.5mm 3d cartridge*1 8.0mm 3d cartridge*1 2D HIFU handle*1 1.5mm cartridge*1 3.0mm cartridge*1 4.5mm cartridge*1 vmax handle*1 1.5mm vmax cartridge*1 3.0mm vmax cartridge*1 4.5mm vmax cartridge*1 Liposonix handle*1 8.0mm Liposonix head*1 13.0mm Liposonix head*1 Vaginal handle*1 3.0mm vaginal head*1 4.5mm vaginal head*1	Technology:Focused Ultrasound Face lift Hifu Input Power:1200W Width:1-10mm adjustable length:5-25mm adjustable Number of heads:*1.5MM;3.0MM;4MM ;8MM(Standard) 6mm, 8mm ,13mm,16mm( optional)* Space Between Thermal Point:1.5MM-2.5MM Step: 0.1 MM Energy type:4MHZ Energy output:0.2-2J/cm2 Handle Shots:20000 lines Screen size:12inch Net Weight of machine :15kg Dimension :44*48*20cm Optional handle: 2D handle,Vmax handle, Liposonix handle,Vaginal handle	Wrinkle removal, facelift, skin tightening,body slimming
LED Therapy machine	LP100			Model : LP100 / LP100S Diode Quantity : 1500 / 3000 Power : 400W / 800W Diode Power : 100mw/diode Wavelength : 400-700nm LED Colors : Red Blue Yellow Orange Cyan Purple White Screen : 8inch touch screen Working Mode : Pulse mode/ Continue Mode	Wrinkles,Scarring Pigmentation, Tightening Acne,Skin RejuvenationRosacea,Dullskin

Air Cooling machine	COOLPLUS I			<p>Controlling screen: 7 inch touch screen  Net weight: 85kg  Power:1500w  Treatment Fuse: 2m  Temperature range: -4C--30°C(adjustable)  Voltage:110V, 60hz,6A, 220V,50hz  Fan speed: 1-6 (adjustable)  Dimension: 760x470x840mm  Defrosting time:45s  Package size: 865x520x962mm</p>	Cooling downskin temperature during or afterlaser treatment likeQS nd yag laser,diode laser etc
Air Cooling machine	COOLPLUS II			<p>Controlling screen: 7 inch touch screen  Net weight: 85kg  Power:1500w  Treatment Fuse: 2m  Temperature range: -4C--30°C(adjustable)  Voltage:110V, 60hz,6A, 220V,50hz  Fan speed: 1-6 (adjustable)  Dimension: 760x470x840mm  Defrosting time:45s  Package size: 865x520x962mm</p>	Cooling downskin temperature during or afterlaser treatment likeQS nd yag laser,diode laser etc
9 in 1 hydro facial machine big model	Hi-Skin III		<p>Hydro Dermabrasion  Polymer Atomizing Spray  Ultrasound Import  Bipolar RF  Multi-pole Microcurrent  Bipolar Microcurrent  Cold Hammer  Ultrasonic Vibration  Mousse Bubbles</p>	<p>Power: 600W  RF frequency: 3MHz Screen : 8.4inch touch screenPixel: 20million  Probe of dermabrasion: 11pcs  Vacuum: 0-90Kpa  Flow Capacity : 30 L Max  Voltage : 100V-240V 50Hz-60Hz  Dimensions:101*50*47cm  Net Weight:35Kg</p>	face cleaning,pore cleaning & shrink,face lift,tightening , Removal ofblack dot Removal of skin parasites Strengthen skin texture and structure
PLASMA machine	PLASMA I			<p>Plasma Power: 300W  Ice Handle Power: 50W  Energy Level : 1-8  Screen: 12.linch  Working Mode: SHOT PULSE CONTINUE  Pulse Mode: 4 modes Dimension: 330*321*330mm  Package size: 430*440*415mm  Voltage: AC220V±10%10A 50HZ,110y±10% 10A 60HZ</p>	Eyebags Milia removal Fatty eye deposits Crows feet Smokers lip lines Lines around the mouth Mole and wartremoval Skin tags Scars and stretch marksAcne scarring
448KHZ machine			<p>RES Handle: 6 Different RES Probes  CAP Handle: 7 Different CAP probes</p>	<p>Power: 800W  working modes:CAP, RES, BIO  Frequency:448kHz  Screen size:12.1 inches  Dimension : 340*350*320 mm  Package Size : 540*450*420mm  Net weight : 6.2kg  Voltage: AC220V±10% 10A 50HZ , 110v±10% 10A 60HZ</p>	Age ManagementBody ManagementWellness Management : Pain Treatment: Improve Immunity; Remove Visceral Fat

<p>SHR+RF+ND YAG laser machine</p>	<p>M3</p>		<p>SHR handle *1 Rf handle *1 Nd yag handle*1</p>	<p>IPL SHR: wavelength: 430nm: 480: 530: 560: 640: 690nm Input power:1800W Spot size:16*50mm Enrgy density :1-60j/cm2 Nd yag: wavelength: 1064nm,532nm,1320nm Pluse energy:100mj 1064nm,500mj 532nm Power :1000W Pluse width:2000ps Frequency :1-10HZ Rf frequency:5M RF energy:1-50j/cm2 Power :1000W Net weight :56k</p>	<p>SHR handle 430nm:Anti-inflammatory, sterilization 480nm:Acne treatment 530nm: For freckle removal, Age spots/Sun spots/pigmentation troubles 560nm:Skin rejuvenation, Skin whitening,improving the flexibility of the skin and reduce the</p>
------------------------------------	-----------	---	---	--	--